

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application : Pieter Bestebreurtje  
 Patent No. : 7,726,191  
 Issued : June 01, 2010  
 For : METHOD AND APPARATUS FOR ULTRASONIC TESTING  
 OF AN OBJECT  
 Attorney's Docket : VER-207XX

\* \* \* \* \*

L E T T E R

VIA ELECTRONIC MAIL  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria, VA 22313-1450  
 ATTN: Certificates of Correction

Sir:

Enclosed is a copy of Form PTO 1050. It is requested that a Certificate of Correction be issued to correct the mistakes of the Patent Office in the printing of the above-identified patent.

Respectfully submitted,

PIETER BESTEBREURTJE

By: /Charles L. Gagnebin iii/  
 Charles L. Gagnebin III  
 Registration No. 25,467  
 Attorney of Record

WEINGARTEN, SCHURGIN,  
 GAGNEBIN & LEBOVICI LLP  
 Ten Post Office Square  
 Boston, Massachusetts 02109  
 Telephone: (617) 542-2290  
 Telecopier: (617) 451-0313

Date: January 5, 2011

CLG/doc  
 Enclosure  
 400134

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO : 7,726,191  
APPLICATION NO. : 10/576,622  
DATED : June 1, 2010  
INVENTOR(S) : Pieter Bestebreurtje

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, claim 14, line 40, "2" should read --13--;  
Column 8, claim 16, line 12, "2" should read --13--;  
Column 8, claim 17, line 17, "2" should read --13--;  
Column 8, claim 19, line 25, "2" should read --13--;  
Column 8, claim 20, line 29, "2" should read --13--; and  
Column 8, claim 21, line 37, "2" should read --13--.

MAILING ADDRESS OF SENDER:

PATENT NO. 7,726,191

Weingarten, Schurgin, Gagnebin & Lebovici LLP  
Ten Post Office Square  
Boston, Massachusetts 02109